INDEX TO AUTHORS

A

ALLEN, RICHARD D. A reinvestigation of cross-sections of cilia, 825

ANDERSON, EVERETT. Oocyte differentiation in the sea urchin, *Arbacia punctulata*, with particular reference to the origin of cortical granules and their participation in the cortical reaction, 514

AVERS, CHARLOTTE J., and FEDERMAN, MICHELINE. The occurrence in yeast of cytoplasmic granules which resemble microbodies, 555

B

BARLAND, PETER, SMITH, CAROL, and HAMERMAN, DAVID. Localization of hyaluronic acid in synovial cells by radioautography, 13

BARROS, C., and FRANKLIN, L. E. Behavior of the gamete membranes during sperm entry into the mammalian egg, C13

BARTELS, P. G., and PEGELOW, E. J., JR. The action of Sirmate (3,4-dichlorobenzyl methylcarbamate) on chloroplast ribosomes of *Triticum vulgare* L. seedlings, C1

BAUDHUIN, PIERRE. See LEIGHTON, POOLE, BEAUFAY, BAUDHUIN, COFFEY, FOWLER, and DE DUVE, 482

BEAUFAY, HENRI. See LEIGHTON, POOLE, BEAUFAY, BAUDHUIN, COFFEY, FOWLER, and DE DUVE, 482

BLANTON, PATRICIA L., MARTIN, JAMES, and HABERMAN, SOL. Pinocytotic response of circulating erythrocytes to specific blood-grouping antibodies, 716

BONNETT, HOWARD T. JR. The root endodermis. Fine structure and function, 199

BOSSERT, WILLIAM H. See DIAMOND and BOSSERT, 694

BOVEE, EUGENE C. See ORGAN, BOVEE, JAHN, WIGG, and FONSECA, 139

BRIARTY, L. G. See GUNNING, PATE, and BRIARTY, C7

BRITTINGER, GÜNTER, HIRSCHHORN, ROCHELLE, DOUGLAS, STEVEN D., and WEISSMANN, GERALD. Studies on lysosomes. XI. Characterization of a hydrolase-rich fraction from human lymphocytes, 394

—. See HIRSCHHORN, BRITTINGER, HIRSCHHORN, and WEISSMANN, 412

BRUNS, ROMAINE R., and PALADE, GEORGE E. Studies on blood capillaries. I. General organization of blood capillaries in muscle, 244

— and —. II. Transport of ferritin molecules across the wall of muscle capillaries, 277

—. See PALADE and BRUNS, 633

BULLIVANT, STANLEY, and LOEWENSTEIN, WERNER R. Structure of coupled and uncoupled cell junctions, 621

C

COFFEY, JOHN W. See LEIGHTON, POOLE, BEAUFAY, BAUDHUIN, COFFEY, FOWLER, and DE DUVE, 482

COHEN, ADOLPH I. New evidence supporting the linkage to extracellular space of outer segment saccules of frog cones but not rods, 424

COTRAN, RAMZI S., and KARNOVSKY, MORRIS J. Ultrastructural studies on the permeability of the mesothelium to horseradish peroxidase, 123

D

DE DUVE, CHRISTIAN. See LEIGHTON, POOLE, BEAUFAY, BAUDHUIN, COFFEY, FOWLER, and DE DUVE, 482

DEINHARDT, F. See SMITH and DEINHARDT, 819

DEMBITZER, HERBERT M. Digestion and the distribution of acid phosphatase in *Blepharisma*, 329

DIAMOND, JARED M., and BOSSERT, WILLIAM H. Functional consequences of ultrastructural geometry in "backwards" fluid-transporting epithelia, 694

DOUGLAS, STEVEN D. See BRITTINGER, HIRSCHHORN, DOUGLAS, and WEISSMANN, 394

E

EVANS, W. See MOLLENHAUER, EVANS, and KOGUT, 579

EVERINGHAM, JOHN W. Attachment of intranuclear annulate lamellae to the nuclear envelope, 540

—. Intranuclear annulate lamellae in ascidian embryos, 551

F

FEDERMAN, MICHELINE. See AVERS and FEDERMAN, 555

FLICKINGER, CHARLES J. The effects of enucleation on the cytoplasmic membranes of *Amoeba proteus*, 300

FONSECA, JAMES R. See ORGAN, BOVEE, JAHN, WIGG, and FONSECA, 139

FOWLER, STANLEY. See LEIGHTON, POOLE, BEAUFAY, BAUDHUIN, COFFEY, FOWLER, and DE DUVE, 482

FRANKLIN, L. E. See BARROS and FRANKLIN, C13

FURMAN, MOSES. See LEHRER, WEISS, SILIDES, LICHTMAN, FURMAN, and MATHEWSON, 575

G

GLICK, M. C. See WARREN and GLICK, 729
GOLDHOR, S. Protein: lipid ratios of liver mitochondria during development, 823
GOURANTON, JEAN. Composition, structure, et mode de formation des concrétions minérales dans l'intestin moyen des homoptères *Cercopides*, 316
GUNNING, B. E. S., PATE, J. S., and BRIARTY, L. G. Specialized "transfer cells" in minor veins of leaves and their possible significance in phloem translocation, C7
GUTTES, EDMUND. See GUTTES and GUTTES, 761
GUTTES, SOPHIE, and GUTTES, EDMUND. Regulation of DNA replication in the nuclei of the slime mold, *Physarum polycephalum*. Transplantation of nuclei by plasmodial coalescence, 761

H

HABERMAN, SOL. See BLANTON, MARTIN, and HABERMAN, 716
HACKENBROCK, CHARLES R. Ultrastructural bases for metabolically linked mechanical activity in mitochondria. II. Electron transport-linked ultrastructural transformations in mitochondria, 345
HALL, CECIL E. See SLAYTER, KIHO, HALL, and RICH, 583
HAMERMAN, DAVID. See BARLAND, SMITH, and HAMERMAN, 13
HIRSCHHORN, KURT. See HIRSCHHORN, BRITTINGER, HIRSCHHORN, and WEISSMANN, 412
HIRSCHHORN, ROCHELLE, BRITTINGER, GÜNTER, HIRSCHHORN, KURT, and WEISSMANN, GERALD. Studies on lysosomes. XII. Redistribution of acid hydrolases in human lymphocytes stimulated by phytohemagglutinin, 412
—. See BRITTINGER, HIRSCHHORN, DOUGLAS, and WEISSMANN, 394
HOLDSWORTH, ROBERT H. The presence of a crystalline matrix in pyrenoids of the diatom, *Achnanther brevipes*, 831
HOWDEN, JANET ALCOCK. See SADOWSKI and HOWDEN, 163
HUANG, M. See WALLACE, HUANG, and LINNANE, 207

J

JAHN, THEODORE L. See ORGAN, BOVEE, JAHN, WIGG, and FONSECA, 139
JOHNSON, EDWARD A. See SOMMER and JOHNSON, 570
JOLLOW D., KELLERMAN, G. M., and LINNANE, ANTHONY W. The biogenesis of mitochondria. III. The lipid composition of aerobically and anaerobically grown *Saccharomyces cerevisiae* as related to the membrane systems of the cells, 221

K

KARNOVSKY, MORRIS J. See COTRAN and KARNOVSKY, 123
—. See SCHNEEBERGER-KEELEY and KARNOVSKY, 781
KELLERMAN, G. M. See JOLLOW, KELLERMAN, and LINNANE, 221
KELLY, ROBERT E., and RICE, ROBERT V. Localization of myosin filaments in smooth muscle, 105
KIHO, YUKIO. See SLAYTER, KIHO, HALL, and RICH, 583
KIMBERG, DANIEL V., LOUD, ALDEN V., and WIENER, JOSEPH. Cortisone-induced alterations in mitochondrial function and structure, 63
—. See WIENER, LOUD, KIMBERG, and SPIRO, 47
KLEIN, S. See SIEW and KLEIN, 590
KODAMA, ROBERT M., and TEDESCHI, HENRY. Studies on the permeability of calf thymus nuclei isolated in sucrose, 747
KOGUT, CLARA. See MOLLENHAUER, EVANS, and KOGUT, 579
KONISHI, TADAKO. See TSUKADA, MOCHIZUKI, and KONISHI, 231

L

LANE, NANCY J. Distribution of phosphatases in the Golgi region and associated structures of the thoracic ganglionic neurons in the grasshopper, *Melanoplus differentialis*, 89
LANGER, GLENN A. See LEGATO, SPIRO, and LANGER, 1
LEGATO, MARIANNE J., SPIRO, DAVID, and LANGER, GLENN A. Ultrastructural alterations produced in mammalian myocardium by variation in perfusate ionic composition, 1
LEHRER, GERARD M., WEISS, CIPORA, SILIDES, DEMETRA J., LICHTMAN, CECILE, FURMAN, MOSES, and MATHEWSON, ROBERT F. The quantitative histochemistry of supramedullary neurons of puffer fishes. I. Enzymes of glucose metabolism, 575
LEIGHTON, FEDERICO, POOLE, BRIAN, BEAUFAY, HENRI, BAUDHUIN, PIERRE, COFFEY, JOHN W., FOWLER, STANLEY, and DE DUVE, CHRISTIAN. The large-scale separation of peroxisomes, mitochondria, and lysosomes from the livers of rats injected with Triton WR-1339. Improved isolation procedures, automated analysis, biochemical and morphological properties of fractions, 482
LENARD, JOHN, and SINGER, S. J. Alteration of the conformation of proteins in red blood cell membranes and in solution by fixatives used in electron microscopy, 117
LICHTMAN, CECILE. See LEHRER, WEISS, SILIDES, LICHTMAN, FURMAN, and MATHEWSON, 575
LINNANE, ANTHONY W. See JOLLOW, KELLERMAN, and LINNANE, 221
—. See WALLACE, HUANG, and LINNANE, 207
LOEWENSTEIN, WERNER R. See BULLIVANT and LOEWENSTEIN, 621
LOUD, ALDEN V. A quantitative stereological description of the ultrastructure of normal rat liver parenchymal cells, 27
—. See KIMBERG, LOUD, and WIENER, 63
—. See WIENER, LOUD, KIMBERG, and SPIRO, 47
LÜCKE-HUHLE, CHRISTINE. See RUHENSTROTH-BAUER and LÜCKE-HUHLE, 196

M

MALT, R. A. See PRIESTLEY and MALT, 703
MANASEK, FRANCIS J. Mitosis in developing cardiac muscle, 191

MARTIN, JAMES. See BLANTON, MARTIN, and HABERMAN, 716
MATHEWSON, ROBERT F. See LEHRER, WEISS, SILIDES, LICHTMAN, FURMAN, and MATHEWSON, 575
MERRILLEES, NEIL C. R. The nervous environment of individual smooth muscle cells of the guinea pig vas deferens, 794
MILHAUD, MONIQUE, and PAPPAS, GEORGE D. Cilia formation in the adult cat brain after pargyline treatment, 599
MOCHIZUKI, YOHICHI. See TSUKADA, MOCHIZUKI, and KONISHI, 231
MOLLENHAUER, HILTON H., EVANS, W., and KOGUT, CLARA. Dictyosome structure in *Euglena gracilis*, 579

N

NICHOLS, BARBARA. A membranous apparatus in a flagellate, *Tritrichomonas augusta*, 559

O

OLLERICH, D. A. An intramitochondrial crystalloid in element III of rat chorioallantoic placenta, 188
ORGAN, ALAN E., BOVEE, EUGENE C., JAHN, THEODORE L., WIGG, DUNCAN, and FONSECA, JAMES R. The mechanism of the nephridial apparatus of *Paramecium multimicronucleatum*, I. Expulsion of water from the vesicle, 139

P

PALADE, GEORGE E., and BRUNS, ROMAINE R. Structural modulations of plasmalemmal vesicles, 633
—. See BRUNS and PALADE, 244, 277
PAPPAS, GEORGE D. See MILHAUD and PAPPAS, 599
PARSONS, JOHN A., and RUSTAD, RONALD C. The distribution of DNA among dividing mitochondria of *Tetrahymena pyriformis*, 683
PATE, J. S. See GUNNING, PATE, and BRIARTY, C7
PEGELOW, E. J., JR. See BARTELS and PEGELOW, C1
PEPE, FRANK A. See TOSELLI and PEPE, 445, 462
POOLE, BRIAN. See LEIGHTON, POOLE, BEAUFAY, BAUDHUIN, COFFEY, FOWLER, and DE DUVE, 482
PRIESTLEY, G. C., and MALT, R. A. Development of the metanephric kidney. Protein and nucleic acid synthesis, 703

R

RICE, ROBERT V. See KELLY and RICE, 105
RICH, ALEXANDER. See SLAYTER, KIHO, HALL, and RICH, 583
RUBIN, CYRUS E. See SAUNDERS, WILSON, and RUBIN, 183
RUHENSTROTH-BAUER, G., and LÜCKE-HUHLE, CHRISTINE. Two populations of small lymphocytes, 196
RUSTAD, RONALD C. See PARSONS and RUSTAD, 683

S

SADOWSKI, PAUL D., and HOWDEN, JANET ALCOCK. Isolation of two distinct classes of polysomes from a nuclear fraction of rat liver, 163
— and STEINER, JAN W. Electron microscopic and biochemical characteristics of nuclei and nucleoli isolated from rat liver, 147
SAUNDERS, DAVID R., WILSON, JANET, and RUBIN, CYRUS E. Loss of absorbed lipid during fixation and dehydration of jejunal mucosa, 183
SCHNEEBERGER-KEELEY, EVELINE E., and KARNOVSKY, MORRIS J. The ultrastructural basis of alveolar-capillary membrane permeability to peroxidase used as a tracer, 781
SCHRODT, G. RANDOLPH. See WALKER and SCHRODT, 564
SHERIDAN, JUDSON D. Electrophysiological evidence for low-resistance intercellular junctions in the early chick embryo, 650
SIEW, D., and KLEIN, S. The effect of sodium chloride on some metabolic and fine structural changes during the greening of etiolated leaves, 590
SILIDES, DEMETRA J. See LEHRER, WEISS, SILIDES, LICHTMAN, FURMAN, and MATHEWSON, 575
SIMPSON, LARRY. Effect of acriflavin on the kinetoplast of *Leishmania tarentolae*. Mode of action and physiological correlates of the loss of kinetoplast DNA, 660
SINGER, S. J. See LENARD and SINGER, 117
SLAYTER, HENRY, KIHO, YUKIO, HALL, CECIL E., and RICH, ALEXANDER. An electron microscopic study of large bacterial polyribosomes, 583
SMITH, CAROL. See BARLAND, SMITH, and HAMERMAN, 13
SMITH, R. D., and DEINHARDT, F. Unique cytoplasmic membranes in Rous sarcoma virus–induced tumors of a subhuman primate, 819
SOMMER, JOACHIM R., and JOHNSON, EDWARD A. Purkinje fibers of the heart examined with the peroxidase reaction, 570
SPIRO, DAVID. See LEGATO, SPIRO, and LANGER, 1
—. See WIENER, LOUD, KIMBERG, and SPIRO, 47
STEINER, JAN W. See SADOWSKI and STEINER, 147
STINE, G. J. Enzyme activities during the asexual cycle of *Neurospora crassa*. II. NAD- and NADP-dependent glutamic dehydrogenases and nicotinamide-adenine dinucleotidase, 81

T

TEDESCHI, HENRY. See KODAMA and TEDESCHI, 747
TOSELLI, PAUL A., and PEPE, FRANK A. The fine structure of the ventral intersegmental abdominal muscles of the insect *Rhodnius prolixus* during the molting cycle. I. Muscle structure at molting, 445
— and —. —. II. Muscle changes in preparation for molting, 462
TSUKADA, HIDEYUKI, MOCHIZUKI, YOHICHI, and KONISHI, TADAKO. Morphogenesis and development of microbodies of hepatocytes of rat during pre- and postnatal growth, 231

TURNER, F. R. An ultrastructural study of plant spermatogenesis. Spermatogenesis in *Nitella*, 370

V

VAN'T HOF, JACK. Control of cell progression through the mitotic cycle by carbohydrate provision. I. Regulation of cell division in excised plant tissue, 773

W

WALKER, SHEPPARD M., and SCHRODT, G. RANDOLPH. Triads in skeletal muscle fibers of 19-day fetal rats, 564

WALLACE, P. G., HUANG, M., and LINNANE, ANTHONY W. The biogenesis of mitochondria. II. The influence of medium composition on the cytology of anaerobically grown *Saccharomyces cerevisiae*, 207

WARREN, L., and GLICK, M. C. Membranes of animal cells. II. The metabolism and turnover of the surface membrane, 729

WEISS, CIPORA. See LEHRER, WEISS, SILIDES, LICHTMAN, FURMAN, and MATHEWSON, 575

WEISSMANN, GERALD. See BRITTINGER, HIRSCHHORN, DOUGLAS, and WEISSMANN, 394

—. See HIRSCHHORN, BRITTINGER, HIRSCHHORN, and WEISSMANN, 412

WIENER, JOSEPH, LOUD, ALDEN V., KIMBERG, DANIEL V., and SPIRO, DAVID. A quantitative description of cortisone-induced alterations in the ultrastructure of rat liver parenchymal cells, 47

—. See KIMBERG, LOUD, and WIENER, 63

WIGG, DUNCAN. See ORGAN, BOVEE, JAHN, WIGG, and FONSECA, 139

WILSON, JANET. See SAUNDERS, WILSON, and RUBIN, 183

WOLFE, STEPHEN L. The effect of prefixation on the diameter of chromosome fibers isolated by the Langmuir trough–critical point method, 610

INDEX TO SUBJECTS

A

Acid hydrolase, characterization of fraction (lysosomes) rich in, from human lymphocytes, biochemical, cytochemical, and EM study, 394
— hydrolases, redistribution of in human lymphocytes stimulated by phytohemagglutinin, effects on lysosomes, biochemical study, 412
— phosphatase, distribution of in *Blepharisma intermedium*, changes during digestion, EM cytochemical study, 329
Acriflavin, effect of on kinetoplast of *Leishmania tarentolae*, mode of action and physiological correlates of loss of DNA, cytochemical and biochemical and radioautographic study, 660
Albumin (bovine serum), and apomyoglobin in solution, and proteins of red blood cell membranes, alteration of conformation of by fixatives used in electron microscopy, spectropolarimetric study, 117
Alga, diatom *Achnanthes brevipes*, crystalline matrix in pyrenoids of, EM study, 831
Alveolar-capillary membrane, ultrastructural basis of permeability of, in mouse lung, EM study with peroxidase as tracer, 781
Annulate lamellae, intranuclear, in ascidian embryos, EM study, 551
— lamellae, intranuclear, of ascidian oocytes, attachment of to nuclear envelope, light and EM study, 540
Antibodies, of specific blood groupings, pinocytotic response of erythrocytes to, of human adults and infants, EM study, 716
Apomyoglobin and albumin in solution, and proteins of red blood cell membranes, alteration of by fixatives used in electron microscopy, spectropolarimetric study, 117
Ascidian, *Boltenia villosa*, intranuclear annulate lamellae in embryos of, EM study, 551
Ascidians, *Boltenia villosa*, *Halocynthia pyriformis*, *Boltenia ovifera*, *Ascidia callosa*, attachment of intranuclear annulate lamellae to nuclear envelope of oocytes of, light and EM study, 540
Asexual cycle of *Neurospora crassa*, enzyme activities during, NAD- and NADP-dependent glutamic dehydrogenases and nicotinamide-adenine dinucleotidase, biochemical study, 81
Axoneme, in cilia of *Tetrahymena pyriformis*, cross-sections of examined by Markham rotation technique, fibers and arms in, EM study, 825

B

Bacterium, *Escherichia coli* K-12, structure of isolated large polyribosomes associated with synthesis of beta-galactosidase, EM study, 583
Beta-galactosidase, large polyribosomes associated with, in *Escherichia coli* K-12, polysome structure, EM study, 583
Blood capillaries, of rat diaphragm, transport of ferritin molecules across wall of, EM study, 277
— capillaries, of rat, general organization of in skeletal muscle and myocardium, EM study, 244
— cell, red, alteration of conformation of proteins in membranes of, and of proteins in solution, by fixatives used in electron microscopy, spectropolarimetric study, 117
—, of adult cat, cilia formation in after pargyline treatment, light and EM study, 599

C

Calf, thymus nuclei isolated in sucrose, permeability of, biochemical and light and EM study, 747
Capillaries, blood and lymphatic, and endocardium, of rat, structural modulations of plasmalemmal vesicles of endothelia of, EM study, 633
—, blood, of rat diaphragm muscle, transport of ferritin molecules across wall of, EM study, 277
—, blood, of rat, general organization of in skeletal muscle and myocardium, EM study, 244
Carbohydrate, provision of to control cell progression through mitotic cycle, in root meristem of pea, cytochemical and radioautographic study, 773
Cat, brain, cilia formation in after pargyline treatment, light and EM study, 599
Cell junctions, coupled and uncoupled, structure of in salivary glands and Malpighian tubules of insect *Chironomus thummi*, EM study, 621
— junctions of low resistance, electrical coupling as evidence for, in early chick embryo, electrophysiological and histological study, 650
— progression through mitotic cycle, in root meristem of pea, control of by carbohydrate provision, cytochemical and radioautographic study, 773
Cells, fibroblast L, of mouse, metabolism and turnover of surface membrane of, biochemical study, 729
—, human lymphocytes, characterization of acid hydrolase-rich fraction (lysosomes) from, biochemical, cytochemical, and EM study, 394
—, human lymphocytes, redistribution of acid hydrolases stimulated by phytohemagglutinin, effects on lysosomes, biochemical study, 412
—, human synovial, localization of hyaluronic acid in, EM radioautographic study, 13
—, liver parenchymal, of rat, quantitative description of cortisone-induced alterations in ultrastructure of, light and EM study, 47
—, liver parenchymal, of rat, quantitative stereo-

logical description of ultrastructure of, light and EM study, 27
Cells, "transfer," in minor veins of leaves of higher plants and their possible significance in phloem translocation, EM radioautographic and cytochemical study, C7
—, yeast, *Saccharomyces cerevisiae*, occurrence in of cytoplasmic granules resembling microbodies, cytochemical, biochemical, and EM study, 555
Centrioles and microtubules, in plant *Nitella*, structure and behavior of during spermatogenesis, light and EM study, 370
Chick, early embryo, electrical coupling as evidence for intercellular junctions of low resistance, electrophysiological and histological study, 650
—, embryonic, mitosis in developing cardiac muscle of, EM study, 191
Chicken, embryo and adult, protein and lipid content of isolated liver mitochondria of, biochemical study, 823
—, smooth muscle of gizzard, localization of myosin filaments, EM study, 105
Chloroplast, crystalline matrix in pyrenoids of, in diatom *Achnanthes brevipes*, EM study, 831
— ribosomes, of seedlings of wheat *Triticum vulgare*, action of Sirmate (3,4-dichlorobenzyl methylcarbamate) on, biochemical and EM study, C1
Chorioallantoic placenta, of rat, intramitochondrial crystalloid in element III of, EM study, 188
Chromosomes, of barley endosperm and leaflet and root tip nuclei, isolated by Langmuir trough–critical point method, effect of prefixation on diameter of fibers of, EM study, 610
Cilia formation in adult cat brain after pargyline treatment, light and EM study, 599
—, of *Tetrahymena pyriformis*, cross-sections of examined by Markham rotation technique, fibers and arms in axoneme of, EM study, 825
Concretions, mineral, in midgut of *Cercopid* larvae and adults (Homoptera), composition, structure, and mode of formation of, biochemical and cytochemical and EM study, 316
Cortical granules, origin of, participation of in cortical reaction, oocyte differentiation in *Arbacia punctulata*, EM study, 514
— reaction, origin and participation of cortical granules in, oocyte differentiation in *Arbacia punctulata*, EM study, 514
Cortisone, quantitative description of alterations in ultrastructure induced by, in rat liver parenchymal cells, light and EM study, 47
Cortisone-induced alterations in function and structure of rat liver mitochondria, biochemical and light and EM study, 63
Crystalloid, intramitochondrial, in element III of rat chorioallantoic placenta, EM study, 188
Crystals, in matrix of pyrenoids of diatom *Achnanthes brevipes*, EM study, 831
Cytoplasmic membranes of *Amoeba proteus*, effects of enucleation on, EM study, 300

D

Dictyosome, ultrastructure of in *Euglena gracilis*, EM study, 579
Digestion, in protozoan *Blepharisma intermedium*, acid phosphatase distribution, EM cytochemical study, 329
DNA, distribution of among dividing mitochondria of *Tetrahymena pyriformis*, radioautographic study, 683
—, nuclear, of mold *Physarum polycephalum*, regulation of replication of, transplantation of nuclei by plasmodial coalescence, radioautographic study, 761
—, of kinetoplast of *Leishmania tarentolae*, mode of action of acriflavin on and physiological correlates of loss of, cytochemical and biochemical and radioautographic study, 660
Dog, myocardium, ultrastructural alterations produced in by variation in perfusate ionic composition, EM study, 1

E

Electrical coupling, as evidence for intercellular junctions of low resistance, in early chick embryo, electrophysiological and histological study, 650
Electron transport, in isolated mitochondria of rat liver, requirement of for ultrastructural transformations, biochemical and EM study, 345
Embryos, of ascidian *Boltenia villosa*, intranuclear annulate lamellae in, EM study, 551
Endocardium and blood and lymphatic capillaries, of rat, structural modulations of plasmalemmal vesicles of endothelia of, EM study, 633
Endodermis, of root of field bindweed *Convolvulus arvensis*, fine structure and function, EM study, 199
Endoplasmic reticulum, association of smooth and rough elements of in membranous apparatus, of flagellate *Tritrichomonas augusta*, EM study, 559
Endothelia, vascular, of rat, structural modulations of plasmalemmal vesicles of, EM study, 633
Enucleation, effects of on cytoplasmic membranes of *Amoeba proteus*, EM study, 300
Enzyme activities during asexual cycle of *Neurospora crassa*, NAD- and NADP-dependent glutamic dehydrogenases and nicotinamide-adenine dinucleotidase, biochemical study, 81
Epithelia, "backwards" fluid-transporting, functional consequences of ultrastructural geometry in, biophysical study, 694
Erythrocytes, of human adults and infants, pinocytotic response of to specific blood-grouping antibodies, EM study, 716

F

Ferritin molecules, transport of across wall of blood capillaries in rat diaphragm, EM study, 277
Fertilization, of hamster egg, behavior of gamete membranes during entry of sperm into egg, EM study, C13
Fibers, chromosomal, of barley endosperm and leaflet and root tip nuclei, isolated by Langmuir trough-critical point method, effect of prefixation on diameter of, EM study, 610

Fibers, of skeletal muscle of 19-day fetal rats, triads in, EM study, 564
—, Purkinje, of mouse heart, examined with peroxidase reaction, continuity of transverse tubules with extracellular space, EM cytochemical study, 570
Fixatives used in electron microscopy, alteration of conformation of proteins of red blood cell membranes and in solution by, spectropolarimetric study, 117
Fluid-transporting epithelia, "backwards" channels, in functional consequences of ultrastructural geometry in, biophysical study, 694
Food vacuoles, in *Blepharisma intermedium*, digestion and distribution of acid phosphatase in, EM cytochemical study, 329
Frog, retina, outer segment saccules of photoreceptors, new evidence for linkage of cones but not rods to extracellular space, EM study, 424
Fungus, *Neurospora crassa*, enzyme activities during asexual cycle of, NAD- and NADP-dependent glutamic dehydrogenases and nicotinamide-adenine dinucleotidase, biochemical study, 81

G

Gamete membranes, of hamster, behavior of during entry of sperm into egg, EM study, C13
Glucose metabolism, enzymes of, in supramedullary neurons of puffer fishes, *Diodon hystrix* and *Spheroides spengleri*, biochemical study, 575
Glutamic dehydrogenases NAD- and NADP-dependent, and nicotinamide-adenine dinucleotidase, activities of during asexual cycle of *Neurospora crassa*, biochemical study, 81
Golgi region and associated structures of thoracic ganglionic neurons, distribution of phosphatases in, of grasshopper *Melanoplus differentialis*, EM cytochemical study, 89
Granules, cortical, origin of, participation of in cortical reaction, oocyte differentiation in *Arbacia punctulata*, EM study, 514
—, cytoplasmic, similar to microbodies, in yeast cells, biochemical, cytochemical, and EM study, 555
Greening, of etiolated bean leaves, effect of sodium chloride on metabolic and structural changes during, EM study, 590
Guinea pig, vas deferens, innervation of individual cells of, EM study, 794

H

Hamster, egg, behavior of gamete membranes during entry of sperm into, EM study, C13
Heart muscle, of dog, ultrastructural alterations produced in by variation in perfusate ionic composition, EM study, 1
—, of mouse, Purkinje fibers of examined with peroxidase reaction, continuity of transverse tubules with extracellular space, EM cytochemical study, 570
Hepatocytes, of rat, morphogenesis and development of microbodies of during pre- and postnatal growth, biochemical and EM study, 231
Human, adults and infants, pinocytotic response of erythrocytes to specific blood-grouping antibodies, EM study, 716
—, lymphocytes, characterization of hydrolase-rich fraction (lysosomes) from, biochemical, cytochemical, and EM study, 394
—, lymphocytes, redistribution of acid hydrolases in, stimulated by phytohemagglutinin, effects on lysosomes, biochemical study, 412
—, synovial cells, localization of hyaluronic acid in, EM radioautographic study, 13
Hyaluronic acid, localization of in human synovial cells, EM radioautographic study, 13

I

Insect, *Cercopid* larvae and adults (Homoptera), composition, structure, and mode of formation of mineral concretions in midgut of, biochemical and cytochemical and EM study, 316
—, *Chironomus thummi*, structure of coupled and uncoupled cell junctions in salivary glands and Malpighian tubules of, EM study, 621
—, grasshopper *Melanoplus differentialis*, distribution of phosphatases in Golgi region and associated structures of thoracic ganglionic neurons in, EM cytochemical study, 89
—, *Rhodnius prolixus*, changes in ventral intersegmental abdominal muscles of in preparation for molting, structure of tergosternal muscles and peripheral nervous system, EM study, 462
—, *Rhodnius prolixus*, fine structure of ventral intersegmental abdominal muscles, myotendonal, tendon, cuticle, and neuromuscular junctions of at molting, EM study, 445
Ionic composition of perfusate, ultrastructural alterations in dog myocardium produced by variation of, EM study, 1

J

Jejunal mucosa, of rat, loss of absorbed lipid during fixation and dehydration of, biochemical study, 183
Junctions, intercellular, of low resistance, electrical coupling as evidence for in early chick embryo, electrophysiological and histological study, 650

K

Kidney, metanephric, of mouse, protein and nucleic acid syntheses in during development, biochemical and radioautographic study, 703
Kinetoplast, of *Leishmania tarentolae*, effect of acriflavin on, mode of action and physiological correlates of loss of DNA of, cytochemical and biochemical and radioautographic study, 660

L

Lamellae, annulate, intranuclear, attachment of to nuclear envelope of ascidian oocytes, light and EM study, 540
—, annulate, intranuclear, occurrence of in ascidian embryos, EM study, 551
Langmuir trough–critical point method, effect of

prefixation on diameters of fibers of plant and animal chromosomes isolated by, EM study, 610
Leaf veins, specialized "transfer cells" in and their possible significance in phloem translocation, in higher plants, EM radioautographic and cytochemical study, C7
Leaves, etiolated, of bean, effect of sodium chloride on metabolic and fine structural changes during greening of, EM study, 590
Lipid (absorbed), loss of during fixation and dehydration of rat jejunal mucosa, biochemical study, 183
— composition of aerobically and anaerobically grown *Saccharomyces cerevisiae* as related to membrane systems, biogenesis of mitochondria in, biochemical study, 221
— and protein content, of isolated liver mitochondria, of embryonic and adult chickens, biochemical study, 823
Liver, of embryonic and adult chickens, protein and lipid content in mitochondria of, biochemical study, 823
—, of rat, characteristics of nuclei and nucleoli isolated from, EM and biochemical study, 147
—, of rat, cortisone-induced alterations in function and structure of mitochondria, biochemical and light and EM study, 63
—, of rat, electron transport-linked ultrastructural transformations in isolated mitochondria of, biochemical and EM study, 345
—, of rat, isolation of two distinct classes of polysomes from nuclei of, biochemical and EM study, 163
—, of rat, quantitative description of cortisone-induced alterations in ultrastructure of parenchymal cells, light and EM study, 47
—, of rat, quantitative stereological description of ultrastructure of parenchymal cells, light and EM study, 27
Livers, of rats injected with Triton WR-1339, large-scale separation of peroxisomes, mitochondria, and lysosomes from, improved isolation procedures, automated analysis, biochemical and morphological properties of fractions, 452
Lung, of mouse, ultrastructural basis of permeability of alveolar-capillary membrane in, EM study with peroxidase as tracer, 781
Lymphocytes, of human, characterization of hydrolase-rich fraction (lysosomes) from, biochemical, cytochemical, and EM study, 394
—, of human, redistribution of acid hydrolases stimulated by phytohemagglutinin, effects on lysosomes, biochemical study, 412
—, small, of rat thoracic duct, two populations of, biophysical study, 196
Lysosomes, characterization of hydrolase-rich fraction from human lymphocytes, biochemical, cytochemical, and EM study, 394
—, peroxisomes, and mitochondria, from livers of rats injected with Triton WR-1339, large-scale separation of, improved isolation procedures, automated analysis, biochemical and morphological properties of fractions, 482
—, redistribution of acid hydrolases in human lymphocytes stimulated by phytohemagglutinin, biochemical study, 412

M

Marmoset, *Saquinus*, intracerebral and subcutaneous tumors induced by Rous sarcoma virus, unique complex of cytoplasmic membranes in, EM study, 819
Membrane, alveolar-capillary, in mouse lung, ultrastructural basis of permeability of, EM study with peroxidase as tracer, 787
—, surface, of mouse fibroblast L cells, metabolism and turnover of, biochemical study, 729
— systems of aerobically and anaerobically grown *Saccharomyces cerevisiae*, lipid composition as related to, biogenesis of mitochondria, biochemical study, 221
Membranes, cytoplasmic, of *Amoeba proteus*, effects of enucleation on, EM study, 300
—, cytoplasmic, unique complex of, in intracerebral and subcutaneous tumors induced by Rous sarcoma virus, in marmoset *Saquinus*, EM study, 819
—, of gametes, of hamster, behavior of during entry of sperm into egg, EM study, C13
Membranous apparatus formed by association of smooth and rough elements of endoplasmic reticulum, in flagellate *Tritrichomonas augusta*, EM study, 559
Mesothelium, peritoneal, of rat and mouse, ultrastructural studies on permeability to horseradish peroxidase of, EM study, 123
Microbodies, cytoplasmic granules similar to, in yeast cells, biochemical, cytochemical, and EM study, 555
—, of hepatocytes of rat, morphogenesis and development of during pre- and postnatal growth, biochemical and EM study, 231
Microtubules and centrioles, in plant *Nitella*, structure and behavior of during spermatogenesis, light and EM study, 370
Midgut, of *Cercopid* larvae and adults (Homoptera), composition, structure, and mode of formation of mineral concretions in, biochemical and cytochemical and EM study, 316
Mitochondria, biogenesis of, influence of medium composition on cytology of anaerobically grown *Saccharomyces cerevisiae*, spectrophotometric and EM study, 207
—, biogenesis of, lipid composition of aerobically and anaerobically grown *Saccharomyces cerevisiae* as related to membrane systems of cells, biochemical study, 221
—, dividing, of *Tetrahymena pyriformis*, distribution of DNA among, radioautographic study, 683
—, in rat liver, cortisone-induced alterations in structure and function of, biochemical and light and EM study, 63
—, isolated from liver of embryonic and adult chickens, protein and lipid content of, biochemical study, 823
—, isolated, of rat liver, electron transport-linked ultrastructural transformations in, biochemical and EM study, 345

Mitochondria, peroxisomes and lysosomes, from livers of rats injected with Triton WR-1339, large-scale separation of, improved isolation procedures, automated analysis, biochemical and morphological properties of fractions, 482
Mitochondrial crystalloid, in element III of rat chorioallantoic placenta, EM study, 188
Mitosis, in developing cardiac muscle of embryonic chick, EM study, 191
Mitotic cycle, in root meristem of pea, control of cell progression through by carbohydrate provision, cytochemical and radioautographic study, 773
Mold, *Physarum polycephalum*, regulation of nuclear DNA replication in, transplantation of nuclei by plasmodial coalescence, radioautographic study, 761
Molting, in insect *Rhodnius prolixus*, fine structure of ventral intersegmental abdominal muscles during, EM study, 445
—, in insect *Rhodnius prolixus*, structural changes in ventral intersegmental abdominal and tergosternal muscles and in peripheral nervous system in preparation for, EM study, 462
Mouse, alveolar-capillary membrane in lung, ultrastructural basis of permeability of, EM study with peroxidase as tracer, 781
—, fibroblast L cells, metabolism and turnover of surface membrane of, biochemical study, 729
—, heart, Purkinje fibers of, examined with peroxidase reaction, continuity of transverse tubules with extracellular space, EM cytochemical study, 570
—, mesothelium, ultrastructural studies on permeability of to horseradish peroxidase, EM study, 123
—, metanephric kidney, protein and nucleic acid syntheses in during development, biochemical and radioautographic study, 703
Mucosa, jejunal, of rat, loss of absorbed lipid during fixation and dehydration of, biochemical study, 183
Muscle, cardiac, of embryonic chick, mitosis in, EM study, 191
—, diaphragm, of rat, transport of ferritin molecules across wall of blood capillaries in, EM study, 277
—, myocardium, of dog, ultrastructural alterations produced in by variation in perfusate ionic composition, EM study, 1
—, skeletal and cardiac, of rat, general organization of blood capillaries in, EM study, 244
—, skeletal, of 19-day fetal rat, triads in, EM study, 564
—, smooth, in vas deferens of guinea pig, innervation of individual cells, EM study, 794
—, smooth, of chicken gizzard, localization of myosin filaments, EM study, 105
Muscles, ventral intersegmental abdominal, of insect *Rhodnius prolixus*, ultrastructure of at molting, EM study, 445
—, ventral intersegmental abdominal and tergosternal, of insect *Rhodnius prolixus*, changes of ultrastructure of in preparation for molting, EM study, 462
Myosin filaments, localization of in chicken gizzard smooth muscle, EM study, 105

N

Nephridial apparatus of *Paramecium multimicronucleatum*, mechanism of expulsion of water from vesicle, cinephotomicrographic study, 139
Nervous environment of individual smooth muscle cells, of guinea pig vas deferens, EM study, 794
—, supramedullary, of puffer fishes, *Diodon hystrix* and *Spheroides spengleri*, quantitative histochemistry of, enzymes of glucose metabolism, biochemical study, 575
—, thoracic ganglionic, Golgi region and associated structures of, in grasshopper *Melanoplus differentialis*, distribution of phosphatases in, EM cytochemical study, 89
Nicotinamide-adenine dinucleotidase and NAD- and NADP-dependent glutamic dehydrogenases, activities of during asexual cycle of *Neurospora crassa*, biochemical study, 81
Nuclear DNA, of mold *Physarum polycephalum*, regulation of replication of, transplantation of nuclei by plasmodial coalescence, radioautographic study, 761
— envelope, of ascidian oocytes, attachment of intranuclear annulate lamellae to, light and EM study, 540
Nuclei isolated in sucrose, of calf thymus, permeability of, biochemical and light and EM study, 747
— and nucleoli isolated from rat liver, characteristics of, EM and biochemical study, 147
—, of rat liver, isolation of two distinct classes of polysomes from, biochemical and EM study, 163
Nucleic acid and protein syntheses, in mouse metanephric kidney during development, biochemical and radioautographic study, 703
Nucleoli and nuclei isolated from rat liver, characteristics of, EM and biochemical study, 147
Nucleus, dependence upon of cytoplasmic membranes, in *Amoeba proteus*, effects of enucleation, EM study, 300

O

Oocyte differentiation, in *Arbacia punctulata*, origin of cortical granules and participation of in cortical reaction, EM study, 514
—, of hamster, behavior of gamete membranes during entry of sperm into, EM study, C13
Oocytes, of ascidians, attachment of intranuclear annulate lamellae to nuclear envelope of, light and EM study, 540

P

Pargyline, cilia formation in brain of adult cat treated with, light and EM study, 599
Peroxidase (horseradish), as tracer in analysis of ultrastructural basis of permeability of alveolar-capillary membrane, in mouse lung, EM study, 781

Peroxidase (horseradish), Purkinje fibers of mouse heart examined with, continuity of transverse tubules with extracellular space, EM cytochemical study, 570
— (horseradish), ultrastructural studies on permeability of peritoneal mesothelium to, in rat and mouse, EM study, 123
Peroxisomes, mitochondria, and lysosomes from livers of rats injected with Triton WR-1339, large-scale separation of, improved isolation procedures, automated analysis, biochemical and morphological properties of fractions, 482
Phloem translocation, in higher plants, specialized "transfer cells" in minor veins of leaves and their possible significance in, EM radioautographic and cyotchemical study, C7
Phosphatases, distribution of in Golgi region and associated structures of thoracic ganglionic neurons in grasshopper *Melanoplus differentialis*, EM cytochemical study, 89
Photoreceptors, of frog retina, new evidence supporting linkage of outer segment saccules of cones but not rods to extracellular space, EM study, 424
Phytohemagglutinin, stimulation of human lymphocytes by, redistribution of acid hydrolases, effects on lysosomes, biochemical study, 412
Pinocytosis, in erythrocytes of human adults and infants, stimulation of by specific blood-grouping antibodies, EM study, 716
Placenta, chorioallantoic, of rat, intramitochondrial crystalloid in element III of, EM study, 188
Plant, barley, chromosomes of endosperm and leaflet and root tip nuclei, isolated by Langmuir trough–critical point method, effect of prefixation on diameters of fibers of, EM study, 610
—, bean, effect of sodium chloride on metabolic and fine structural changes during greening of etiolated leaves, biochemical and EM study, 590
—, field bindweed *Convolvulus arvensis*, fine structure and function of root endodermis, EM study, 199
—, *Nitella missouriensis*, spermatogenesis in, light and EM study, 370
—, pea *Pisum sativum*, control of cell progression through mitotic cycle by carbohydrate provision, in root meristem, cytochemical and radioautographic study, 773
—, wheat *Triticum vulgare*, action of Sirmate (3,4-dichlorobenzyl methylcarbamate) on chloroplast ribosomes of seedlings of, biochemical and EM study, C1
Plants, higher, specialized "transfer cells" in minor veins of leaves and their possible significance in phloem translocation, EM radioautographic and cytochemical study, C7
Plasmalemmal vesicles, of rat vascular endothelia, structural modulations of, EM study, 633
Polyribosomes, large, isolated, associated with synthesis of beta-galactosidase, of *Escherichia coli* K-12, structure of, EM study, 583
Polysomes, isolation of two distinct classes of from nuclear fraction of rat liver, biochemical and EM study, 163
Prefixation, effect of on diameter of fibers of chromosomes of barley endosperm and leaflet and root tip nuclei, isolated by Langmuir trough–critical point method, EM study, 610
Protein and lipid content, of isolated liver mitochondria, of embryonic and adult chickens, biochemical study, 823
— and nucleic acid syntheses, in mouse metanephric kidney during development, biochemical and radioautographic study, 703
Proteins, in red blood cell membranes and in solution, alteration of conformation by fixatives used in electron microscopy, spectropolarimetric study, 117
Protozoan, *Amoeba proteus*, effects of enucleation on cytoplasmic membranes of, EM study, 300
—, *Blepharisma intermedium*, digestion and distribution of acid phosphatase in, EM cytochemical study, 329
—, *Euglena gracilis*, dictyosome structure in, EM study, 579
—, flagellate *Tritrichomonas augusta*, association of smooth and rough elements of endoplasmic reticulum in membranous apparatus in, EM study, 559
—, *Leishmania tarentolae*, effect of acriflavin on kinetoplast of, mode of action and physiological correlates of loss of DNA, cytochemical and biochemical and radioautographic study, 660
—, *Paramecium multimicronucleatum*, mechanism of nephridial apparatus, expulsion of water from vesicle, cinephotomicrographic study, 139
—, *Tetrahymena pyriformis*, cross-sections of cilia of, examined by Markham rotation technique, fibers and arms in axoneme of, EM study, 825
—, *Tetrahymena pyriformis*, distribution of DNA among dividing mitochondria of, radioautographic study, 683
Puffer fishes, *Diodon hystrix* and *Spheroides spengleri*, quantitative histochemistry of supramedullary neurons of, enzymes of glucose metabolism, biochemical study, 575
Purkinje fibers, of mouse heart, examined with peroxidase reaction, continuity of transverse tubules with extracellular space, EM cytochemical study, 570
Pyrenoids, in diatom *Achnanthes brevipes*, crystalline matrix in, EM study, 831

R

Radioactive label, CO and leucine, specialized "transfer cells" in minor veins of leaves and their possible significance in phloem translocation, in higher plants, EM radioautographic and cytochemical study, C7
— label, glucosamine-6-^{3}H, localization of hyaluronic acid in human synovial cells, EM radioautographic study, 13
— label, glucose-^{14}C, glucosamine-HCl-1-^{14}C, valine-^{14}C, leucine-^{14}C, metabolism and turnover of surface membrane of mouse fibroblast L cells, biochemical study, 729
— label, orotic acid-6-^{14}C, isolation of two distinct

classes of polysomes from nuclear fraction of rat liver, biochemical and EM study, 163
Radioactive label, palmitic acid-1-^{14}C, oleic acid-1-^{14}C, linoleic acid-1-^{14}C, cholesterol-4-^{14}C, loss of absorbed lipid during fixation and dehydration of rat jejunal mucosa, biochemical study, 183
— label, protein hydrolysate-^{14}C, protein and nucleic acid syntheses in mouse metanephric kidney during development, biochemical and radioautographic study, 703
— label, sucrose-^{14}C, glycerol-^{14}C, carboxydextran-^{14}C, permeability of calf thymus nuclei isolated in sucrose, biochemical and light and EM study, 747
— label, thymidine-^{3}H, control of cell progression through mitotic cycle by carbohydrate provision, in root meristem of pea, cytochemical and radioautographic study, 773
— label, thymidine-^{3}H, distribution of DNA among dividing mitochondria of *Tetrahymena pyriformis*, radioautographic study, 683
— label, thymidine-^{3}H, effect of acriflavin on kinetoplast of *Leishmania tarentolae*, mode of action and physiological correlates of loss of DNA, cytochemical and biochemical and radioautographic study, 660
— label, thymidine-^{3}H, regulation of nuclear DNA replication in mold *Physarum polycephalum*, transplantation of nuclei by plasmodial coalescence, cytochemical and radioautographic study, 761
Rat, blood capillaries, general organization of in skeletal muscle and myocardium, EM study, 244
—, blood capillaries in diaphragm muscle, transport of ferritin molecules across wall of, EM study, 277
—, blood and lymphatic capillaries and endocardium, structural modulations of plasmalemmal vesicles of endothelia of, EM study, 633
—, chorioallantoic placenta, intramitochondrial crystalloid in element III of, EM study, 188
—, 19-day fetal, triads in skeletal muscle fibers of, EM study, 564
—, hepatocytes, morphogenesis and development of microbodies of during pre- and postnatal growth, biochemical and EM study, 231
—, jejunal mucosa, loss of absorbed lipid during fixation and dehydration, biochemical study, 183
—, liver, characteristics of nuclei and nucleoli isolated from, EM and biochemical study, 147
—, liver, cortisone-induced alterations in mitochondrial function and structure, biochemical and light and EM study, 63
—, liver, electron transport–linked ultrastructural transformations in isolated mitochondria of, biochemical and EM study, 345
—, liver, isolation of two distinct classes of polysomes from nuclei of, biochemical and EM study, 163
—, liver, quantitative description of cortisone-induced alterations in ultrastructure of parenchymal cells, light and EM study, 47
—, liver, quantitative stereological description of ultrastructure of parenchymal cells, light and EM study, 27
Rat, mesothelium, ultrastructural studies on permeability of to horseradish peroxidase, EM study, 123
—, thoracic duct, two populations of small lymphocytes in, biophysical study, 196
Rats injected with Triton WR-1339, large-scale separation of peroxisomes, mitochondria, and lysosomes from livers, improved isolation procedures, automated analysis, biochemical and morphological properties of fractions, 482
Retina, of frog, new evidence supporting linkage of outer segment saccules of cones but not rods to extracellular space, EM study, 424
Ribosomal configuration in isolated large polyribosomes associated with synthesis of β-galactosidase, of *Escherichia coli* K-12, EM study, 583
Ribosomes, from chloroplasts, of seedlings of wheat *Triticum vulgare*, action of Sirmate (3,4-dichlorobenzyl methylcarbamate) on, biochemical and EM study, C1
Root endodermis, of field bindweed *Convolvulus arvensis*, fine structure and function of, EM study, 199
Rous sarcoma virus, in marmoset *Saquinus*, unique complex of cytoplasmic membranes in intracerebral and subcutaneous tumors induced by, EM study, 819

S

Saccules, outer segment, of photoreceptors of frog retina, new evidence supporting linkage of cones but not rods to extracellular space, EM study, 424
Salt-containing media, effect of on metabolic and fine structural changes during greening of etiolated leaves, of bean plant, biochemical and EM study, 590
Sea urchin, *Arbacia punctulata*, oocyte differentiation, origin of cortical granules and participation of in cortical reaction, EM study, 514
Septate junctions, intercellular, in salivary glands and Malpighian tubules, of insect *Chironomus thummi*, structure of during coupling and uncoupling, EM study, 621
Sirmate, herbicide (3,4-dichlorobenzyl methylcarbamate), action of on chloroplast ribosomes of seedlings of wheat *Triticum vulgare*, biochemical and EM study, C1
Sperm entry into hamster egg, behavior of gamete membranes during, EM study, C13
Spermatogenesis, in plant *Nitella*, light and EM study, 370
Sucrose isolation of calf thymus nuclei, analysis of nuclear permeability of, biochemical and light and EM study, 747
Synovial cells, in human, localization of hyaluronic acid in, EM radioautographic study, 13

T

Thoracic duct, of rat, two populations of small lymphocytes in, biophysical study, 196
Thymus, of calf, permeability of nuclei isolated in

sucrose, biochemical and light and EM study, 747
Transverse tubules, continuity of with extracellular space, in Purkinje fibers of mouse heart examined with peroxidase, EM cytochemical study, 570
Triads, in skeletal muscle fibers of 19-day fetal rat, EM study, 564
Triton WR-1339, large-scale separation of peroxisomes, mitochondria, and lysosomes from livers of rats injected with, improved isolation procedures, automated analysis, biochemical and morphological properties of fractions, 482
Tumors, intracerebral and subcutaneous, unique complex of cytoplasmic membranes in, induced by Rous sarcoma virus, in marmoset *Saquinus*, EM study, 819

V

Vacuoles, food, in *Blepharisma intermedium*, digestion and distribution of acid phosphatase in, EM cytochemical study, 329
Vas deferens, of guinea pig, innervation of individual cells of, EM study, 794
Vesicle, of *Paramecium multimicronucleatum*, expulsion of water from, mechanism of nephridial apparatus, cinephotomicrographic study, 139
Vesicles, in erythrocytes of human adults and infants, pinocytotic response to specific blood-grouping antibodies, EM study, 716
—, plasmalemmal, of rat vascular endothelia, structural modulations of, EM study, 633
Virus, Rous sarcoma, in marmoset *Saquinus*, unique complex of cytoplasmic membranes in intracerebral and subcutaneous tumors induced by, EM study, 819

Y

Yeast cells, *Saccharomyces cerevisiae*, aerobic and anaerobic, lipid composition of as related to membrane systems, biogenesis of mitochondria in, biochemical study, 221
— cells, *Saccharomyces cerevisiae*, anaerobically grown, influence of medium composition on cytology of, biogenesis of mitochondria in, spectrophotometric and EM study, 207
— cells, *Saccharomyces cerevisiae*, occurrence in of cytoplasmic granules resembling microbodies, cytochemical, biochemical, and EM study, 555